

To: Cirian, Mike[Cirian.Mike@epa.gov]
From: Braun, Richard
Sent: Wed 2/22/2017 10:16:23 PM
Subject: RE: SOW & IGCE FOR RI/FS OV; WA # 359, Columbia Falls Aluminum Plant

It depends upon how quick you want to get the existing money to the project. We had a budget meeting yesterday and we are authorized to spend 3rd quarter funds now. My view is, if you've got money available – grab it. There is currently \$ 250K on the contract for the WA and an additional \$ 250K planned to be added to the contract in the 3rd quarter.

Richard Braun

EPA Region 8

Env. Protection Specialist/

Project Officer

303-312-6380

braun.richard@epa.gov

From: Cirian, Mike
Sent: Wednesday, February 22, 2017 1:25 PM
To: Braun, Richard <Braun.Richard@epa.gov>
Subject: RE: SOW & IGCE FOR RI/FS OV; WA # 359, Columbia Falls Aluminum Plant

Don't mind at all. How soon do you need this?

Mike Cirian, PE

Libby On-site Project Manager

US EPA

108 East 9th Street

Libby, MT 59923

(406) 293-6194 Office

From: Braun, Richard
Sent: Wednesday, February 22, 2017 12:58 PM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Powell, Jodi <Powell.Jodi@epa.gov>
Subject: RE: SOW & IGCE FOR RI/FS OV; WA # 359, Columbia Falls Aluminum Plant

Mike,

If you wouldn't mind, please update the IGCE, and then, I'll add in the contractor's numbers for your review and signature.

Richard Braun

EPA Region 8

Env. Protection Specialist/

Project Officer

303-312-6380

braun.richard@epa.gov

From: Cirian, Mike
Sent: Wednesday, February 22, 2017 12:40 PM
To: Braun, Richard <Braun.Richard@epa.gov>
Cc: Powell, Jodi <Powell.Jodi@epa.gov>
Subject: RE: SOW & IGCE FOR RI/FS OV; WA # 359, Columbia Falls Aluminum Plant

Hello Richard,

The general plan is. After the scoping meeting the IGCE will probably be too low. There will be more oversight, review and sampling required than originally accounted for.

Mike

Mike Cirian, PE

Libby On-site Project Manager

US EPA

108 East 9th Street

Libby, MT 59923

(406) 293-6194 Office

From: Braun, Richard

Sent: Wednesday, February 22, 2017 12:11 PM

To: Cirian, Mike <Cirian.Mike@epa.gov>

Cc: Powell, Jodi <Powell.Jodi@epa.gov>

Subject: FW: SOW & IGCE FOR RI/FS OV; WA # 359, Columbia Falls Aluminum Plant

Hi Mike,

The attached IGCE is what I have for evaluating the WP just submitted by CDM; is it still valid? I want to verify before I enter all the WP numbers for your evaluation.

Richard Braun

EPA Region 8

Env. Protection Specialist/

Project Officer

303-312-6380

braun.richard@epa.gov

From: Powell, Jodi
Sent: Wednesday, February 22, 2017 10:45 AM
To: Braun, Richard <Braun.Richard@epa.gov>
Subject: FW: SOW & IGCE FOR RI/FS OV

Here is what I found.....hopefully it is current enough to use.....

Jodi Powell

Project Officer

U.S. Environmental Protection Agency Region 8

1595 Wynkoop

Denver, CO 80202

(303) 312-6715

From: Cirian, Mike
Sent: Thursday, April 28, 2016 1:51 PM
To: Powell, Jodi <Powell.Jodi@epa.gov>
Subject: RE: SOW & IGCE FOR RI/FS OV

Hi Jodi,

Here is the SOW and IGCE for the Columbia Falls Aluminum site. Let me know what you think?

Thanks

Mike

Mike Cirian, PE

Libby On-site Project Manager

US EPA

108 East 9th Street

Libby, MT 59923

(406) 293-6194 Office

From: Powell, Jodi

Sent: Thursday, March 10, 2016 1:55 PM

To: Cirian, Mike <Cirian.Mike@epa.gov>

Subject: SOW & IGCE FOR RI/FS OV

Mike,

Here you go!